



**VIVREAU®**  
ADVANCED WATER SYSTEMS

V3-201




# MAIN BOTTLER

Re-usable glass bottler | V3-201



- \* Dispenses chilled, still and sparkling water
- \* Substantially reduce costs of purchasing pre-bottled mineral waters
- \* Re-usable glass bottles in 425ml, 500ml, 750ml and 1 liter sizes
- \* Bottles can be personalized
- \* Save the environment - eliminate regular deliveries as well as the disposal of empty bottles and packaging
- \* High performance ice bank refrigeration system capable of delivering very high volumes of chilled water at low temperatures, particularly at peak demand times
- \* Eliminate any storage issues
- \* Purpose designed bottle washing trays designed to fit most commercial dishwashers
- \* Removable tap nozzles for ease of cleaning and sanitizing
- \* Stainless steel drip tray with plumb to waste option
- \* Integral CO<sub>2</sub> bottle









# BOTTLER

## North America V3-201 Specification Sheet



### Product Dispensed:

Advanced micro-filtered, chilled still and sparkling water

### Application:

For the purpose of filling Vivreau re-usable glass bottles

### Equipment Dimensions:

- \* Width 23 3/8" Inches
- \* Depth 23 1/8" Inches
- \* Height 33 3/8" Inches (to top of cabinet height)
- \* 52 7/8" Inches (to top of dispense tap)

Please note that the system is installed as a floor-standing unit. Alternatively it can be installed as an under-counter system

### Under-counter: (alternative option)

Base unit is installed beneath the work surface with the dispense tap and drip tray fitted to the work surface immediately above. Refer to Bottler V3-202 specification sheet.

### The following services are required to be supplied by the customer and must be available prior to installation:

- \* 1 potable 1/2" cold water supply terminating in a 1/2" ball valve, 1/2" female pipe thread. (ball valve must be accessible for service and installation). \*The Vivreau system incorporates back flow prevention, any additional back flow devices required by local or state code must also be supplied by the customer prior to installation. There should not be any other filters/pre-filters before the Vivreau system.
- \* Minimum water pressure 50 PSI
- \* Minimum water flow 80 Gallons per hour



#INNOVATIONS 4U!

by DC Canada

info@absystems.ca

(855)532-5522

absystems.ca



- \* 15amp electrical receptical (5-15) 120v/60hz (11 amps)
- \* CO2 - 20# canister (customer supplied) will fit inside unit, larger canisters can be connected externally (CO2 must be available for installation)
- \* \*If connecting to a bulk or existing CO2 system a CO2 line terminating at a 1/4" barbed shutoff valve must be available within 40" of the Bottling System installation site, 100psi minimum pressure.

**OPTIONAL:** If the drip tray is to be plumbed to waste the customer needs to supply a rigid vertical pipe that drains to a properly trapped drain according to local codes. The vertical pipe for the drip tray drain must be located directly behind where the machine is to be installed and must be at least 1 1/4" ID.



**Location of Services:** (all services must be accessible for installation and service)

- \* Please ensure all services are kept within 40" of bottling system
- \* Water shut-off valve to be located at low level. Please ensure that there is sufficient room for a 6 inch long fitting to be connected to the shut-off valve.
- \* Top of "optional" waste receptacle should be located between 12 and 18 inches from ground level.

#### **Insulation:**

Please ensure that all water pipes feeding the Vivreau System are correctly insulated to ensure that the water does not heat up within the pipes prior to entering the Vivreau system. This is essential for water quality reasons.

---

If the system is to be installed in an enclosed space, adequate ventilation must be provided.

For Indoor Use Only

## EUROPE



VIVREAU UK (head office)  
+44 (0)845 674 9655  
email: [info@vivreau.com](mailto:info@vivreau.com)



VIVREAU Ireland  
+44 (0)845 674 9655  
email: [info@vivreau.ie](mailto:info@vivreau.ie)



VIVREAU Benelux  
Tel: +31 (0)6 1190 6790  
Email: [info@vivreau-benelux.com](mailto:info@vivreau-benelux.com)



VIVREAU Russia  
Tel: +74 9 5620 4720  
Email: [info@vivreau.ru](mailto:info@vivreau.ru)



VIVREAU Switzerland  
+41 (0)22 344 86 70  
email: [info@vivreau.ch](mailto:info@vivreau.ch)



VIVREAU Poland  
Email: [info@vivreau.pl](mailto:info@vivreau.pl)

## NORTH AMERICA



VIVREAU USA  
+1 877 999 1044  
email: [infousa@vivreau.com](mailto:infousa@vivreau.com)



VIVREAU Canada  
+1 877 999 1044  
email: [infocanada@vivreau.com](mailto:infocanada@vivreau.com)

## ASIAN PACIFIC



VIVREAU Australia  
Tel: +61 3 9590 0886  
Email: [info@vivreau-pacific.com](mailto:info@vivreau-pacific.com)



VIVREAU New Zealand  
Tel. +64 9 377 8621  
Email: [info@vivreau-pacific.com](mailto:info@vivreau-pacific.com)



VIVREAU Pacific Islands  
Tel. +64 9 377 8621  
Email: [info@vivreau-pacific.com](mailto:info@vivreau-pacific.com)



VIVREAU South Africa  
+27 21 671 6306  
email: [info@vivreau.co.za](mailto:info@vivreau.co.za)

## AFRICA



#INNOVATIONS 4U!

by DC Canada

[info@absystems.ca](mailto:info@absystems.ca)

(855)532-5522

[absystems.ca](http://absystems.ca)

